



Perot Lasers

You are here: [Home \(/index.php\)](#) > [Products \(/index.php/products\)](#) > [DFB and Fabry-Perot Lasers Bench Instruments \(/index.php/products/itemlist/category/22-bench-instruments\)](#) >

DFB And Fabry-Perot Lasers



Engineered for the practical

- ✓ Choice of DFB and FP laser sources
- ✓ Wide wavelength options
- ✓ Configurable connectors and fiber
- ✓ Front panel and remote control

Description

Specifications

Additional

Specifications

Fiber interface

9 μ m SMF, 50 μ m MMF, or 62.5 μ m MMF

Source type

Fabre-Perot Laser (FP), or Distributed Feedback Laser (DFB)



Wavelength (nm)	850, 980, 1310, 1480, or 1550
Output power (dBm)	> 0
Short-term power stability	< ±0.005 dB/15 minutes
Long-term power stability	< ±0.05 dB/8 hours
AC Power	100 - 240 V AC 50 - 60 Hz
Power consumption (VA)	20
Control	Front panel and remote

About Bola

Bola Technologies is the new standard for flexible, configurable optical instrumentation and components.

Performance, price and quality are where they should be: at the forefront of what we do.

[Read more \(/index.php/about-bola\)](/index.php/about-bola)

Get In Touch

- Bola Technologies
- +1 408 675-5472
- sales@bolatech.com
(mailto:sales@bolatech.com)

Connect With Us

- https://twitter.com/Bola_tech

Sign up to our newsletter:

