





STYLECNC CW Fiber laser cutting machine



Configurations

Swiss RAYTOOLS laser head with auto focusing height follower.

To

ensure the constant same distance between the

head and cutting material.






CNC ROUTER CNC LASER PLASMA CUTTER



Cypcut Control system and auto nesting software

To make sure the materials get Maximum utilization



Double control water chiller

To cool the laser source and cutting head in long time use.



Collect system

which has the special funnel design to make collecting more easy.





CNC ROUTER CNC LASER PLASMA CUTTER

Auto lubrication system

which can lubricate the linear guide rail nearly 500 times per minute to make sure the high precision.




Oil-gas separator system

To make sure the auxiliary gas clean without any water.



Consumable parts			
Name	Unit price	Lifespan(hours)	Suggest
Protect lens	25\$	600h	5pcs
Copper nozzle	30\$	600h	3-10pcs
Ceramic rings	20\$	720h	5pcs
Focus lens	300\$	2400h	2pcs
Collimating Lens	280\$	2400h	1pcs





CNC ROUTER CNC LASER PLASMA CUTTER





Stainless steel cutting

Package

- 1. Anti-collision package edge: All parts of the machine are covered with some soft materials, mainly the use of pearl wool.
- 2. Fumigation wooden box: Our wooden box is fumigated, do not need to check the wood, saving the transport time.
- 3. Whole film packaging machine: Avoid all damage that may occur during delivery. Then we will cover the plastic package tightly to ensure that the soft material is covered intact, also avoiding water and rust.
- 4. The outermost is a wooden box with a fixed template.







