



Ibsen's FREEDOM HR-UV spectrometers combine compactness and low cost with high performance and are the ideal OEM solution for all those handheld and portable system applications where performance cannot be sacrificed.

The FREEDOM HR-UV series comprises the FHU-101 for low cost, FHU-315 for low noise, and FHU-380 for fast integration time.
Furthermore, if the specifications do not match your requirements, Ibsen can customize an OEM spectrometer to meet your exact needs.

# FREEDOM HR-UV

190 – 435 nm OEM Spectrometer

## FREEDOM HR-UV 190 – 435 nm OEM Spectrometer

#### **Key Benefits**




- High resolution
- Compact size
- Flexible detector and electronics
- · Robust and athermal design

#### **Specifications**

Parameter	FHU-101	FHU-315	FHU-380
Wavelength range	190 - 435 nm	190 - 435 nm	190 - 435 nm
Numerical aperture	0.11	0.11	0.11
Typical resolution	0.2 nm/FWHM	0.27 nm/FWHM	0.27 nm/FWHM
Stray light	<0.03%	<0.03%	<0.03%
Detector	Hamamatsu S11639 CMOS	Hamamatsu S10420 BT-CCD	Hamamatsu S11156 BT-CCD
Interface		Direct interface to detector pins (optional electronics available)	
Temperature drift		<0.02 nm/Degree C	
Operating temperature range. Non- condensing		-10 to +45 Degree C	
Dimensions		61 mm x 65 mm x 19 mm	

### **Modular Approach**

Ibsen's OEM spectrometers are based on a modular design, whereby customers can choose to buy a complete spectrometer, a spectrograph or simply a spectrometer grating, depending on the approach that they prefer. Furthermore, our spectrometers can be fitted to almost any detector and electronics.



Specifications are subject to change without notice.

