

# **HYPER RAPID 100**

High Power Industrial ps-Laser

The HYPER RAPID 100 is a powerful industrial ps-laser offering pulse-on-demand and burst mode operation at output powers up to 100W for high quality micromachining at high throughput. With this laser, the total cost per watt ratio for ps-laser pulses is significantly reduced.

The HYPER RAPID 100 provides high pulse energies of typically 10 ps-pulses at high repetition rates up to 1 MHz. This allows the user to split the beam into 2 beams and simultaneously feed 2 work stations with one machine, further reducing the TCO for a production process in micromachining applications.

The HYPER RAPID ps-laser offers the well-known features of the RAPID series: industrial stability and reliability, high pulse energy, high rep rates, trigger on demand – optical pulses can be triggered individually by electrical TTL pulses from system control, low jitter (<100 ns) between trigger and optical pulse with a delay of  $\sim$ 150 ns – basically instantaneous even for fast moving beam deflection systems like scanners and rotary polygons.

Burst mode can be selected in the software to directly determine how many 10 ps-pulses with 20 ns separation should be released in an envelope by the laser if triggered by one electrical trigger pulse. These 20 ns-bursts enhance the ablation rate in many materials and increase the process efficiency.

The HYPER RAPID 100 uses an AOM as its process shutter which allows both on/off control and energy attenuation for each individual pulse.

#### **HYPER RAPID 100 Advantages:**

- High throughput at significantly reduced TCO
- High energy at high repetition rates up to 1 MHz
- Pulse on demand trigger with <100 ns jitter</li>
- 20 ns-burst mode capability for increased ablation rate
- 1064 nm or 532 nm version
- AOM process shutter
- Efficient micromachining in multiple beam work stations

#### **HYPER RAPID 100 Applications:**

- Cutting and drilling of strengthened glass, sapphire, ceramics and other tough materials, also composites
- Micromachining and structuring of large surfaces with line foci or multiple beams



www.Coherent.com/HYPERRAPID100


# **HYPER RAPID 100**


High Power Industrial ps-Laser -

System Specifications					
	HYPER RAPID 100				
Wavelength (nm)	1064 (532 and 355 optional)				
Pulse Repetition Rate (kHz)	400 to 1000				
Spatial Mode	TEM <sub>00</sub> (M <sup>2</sup> <1.4)				
Pulse Duration (ps)	<15				
Pulse-to-Pulse Energy Stability (% rms)	<1 at 1064 nm and 500 kHz				
Average Power Stability over 8 hours (% rms)	<1 at 1064 nm and 500 kHz				
Polarization Ratio	>>100:1				
Beam Divergence, Full Angle (mrad)	<b>(1</b>				
Beam Circularity (%)	>85				
Beam-Pointing Stability in Full PRF Range (µrad/°C)	<50				
Electric Supply <sup>1</sup>	100 to 230 VAC/50 to 60 Hz/3.6 kW				
Beam Diameter (µm)	~3000 at 1064 nm				
Bore-Sight Accuracy	±o.5 mm and <5 mrad				
Warm-Up Time (minutes)	<40 from chiller start				
Repetition Rate (kHz)	Average Power (W)				
	No AOM process shutter		With AOM	With AOM	
PRF	P1064	P532	P1064	P532	
400	100	65	90	60	
500	100	65	90	60	
800	100	60	90	55	
1000	100	55	90	50	
Repetition Rate (kHz)	Pulse Energy (µJ)				
	No AOM proc	ess shutter	With AOM		
PRF	E1064	E532	E1064	E532	
400	250	163	225	150	
500	200	130	180	120	
800	125	75	113	69	
1000	100	55	90	50	

<sup>1</sup> Transformer can be provided for 110V or 208V operation.

### **Typical Data**








## **HYPER RAPID 100**


High Power Industrial ps-Laser -

#### **Mechanical Specifications**


#### Laser Head


#### Front View





#### **Top View**







#### www.Coherent.com

#### Coherent, Inc.,

5100 Patrick Henry Drive Santa Clara, CA 95054 phone (800) 527-3786

(408) 764-4983 x (408) 764-4646

fax (408) 764-4646 e-mail tech.sales@Coherent.com Benelux +31 (30) 280 6060 China +86 (10) 8215 3600 France +33 (0)1 8038 1000

Germany/Austria/ Switzerland +49 (6071) 968 333

 Italy
 +39 (02) 31 03 951

 Japan
 +81 (3) 5635 8700

 Korea
 +82 (2) 460 7900

 Taiwan
 +886 (3) 505 2900

 UK/Ireland
 +44 (1353) 658 833

Coherent follows a policy of continuous product improvement. Specifications are subject to change without notice.

Coherent offers a limited warranty for all HYPER RAPID lasers. For full details of this warranty coverage, please refer to the Service section at www.Coherent.com or contact your local Sales or Service Representative.

