

# Hawkeye® Blue Flexible Borescopes (2.5 – 6.0 mm dia)



**Hawkeye® Blue Flexible 2-Way**  
FOV 60° or 90°  
**3 Diameters: .098", .158" and .236"**  
(2.5, 4.0 and 6.0 mm)



**PRECISION BORESCOPES**



## Blue Flexible (2.5 – 6.0 mm dia)

[Watch Video](#)

**Diameter**

Choose an option ▼

**Length**

Choose an option ▼

Model #: N/A Category: [Blue Flexible](#)

QTY:

[Add to cart](#)


## 2-way Articulation

Four Hawkeye® Blue Flexible borescopes, in diameters from 2.5 mm to 6.0 mm, are 2-way articulating. Control the direction-of-view of the tip over a 300° range ( $\pm 150^\circ$ ), in a single plane, using a thumb-lever on the aluminum borescope body. Lock the lever to hold a particular view. The field-of-view is 45°, except for the 4 mm, which covers a wide 90° field. The viewable image is large and clear.

Choose the diameter and length you need. Larger diameters have more optical glass imaging fibers, giving higher resolution, and thus sharper, more detailed images.

Use the Hawkeye Blue Flexible borescope to inspect complex castings like engine blocks, turbochargers, tubes, pipes, and turbine engines.

## Hawkeye® Blue Flexible Borescopes



Made in the USA

## You may also like...



### Luxxor® Light Guide

Add to cart



### Luxxor® Video Systems

Select options



### Luxxor® 35 LED Light Source

Add to cart



207 Tremont Street  
Rochester, New York 14608

**800-536-0790 or 585-235-2620**

© 2020. **Gradient Lens Corporation**. All Rights Reserved.