


# Hawkeye® Pro Flexible Borescopes (3.3 – 6.0 mm dia.)

**Pro Flexible** FOV 45°, DOV 0° **4 Diameters:** .130", .157", .200", and .236"  
(3.3, 4.0, 5.0, and 6.0 mm)




Every Hawkeye® Pro Flexible Borescope Kit Contains:

- Hawkeye® Pro Flexible Precision Borescope
- Hawkeye® Pro Flexible 90° Mirror (3x LED version only)
- Hawkeye® Mirror Tube
- Hawkeye® Super700™ LED Light and Charger
- Hawkeye® Cleaning Cloth
- Hawkeye® Cleaning Kit



Timing chain in Honda 500 cc motorcycle engine using a Hawkeye Pro Flexible.



Engine casting as viewed with a Hawkeye Pro Flexible.



Ball assembly as viewed using a Hawkeye Pro Flexible.

## Hawkeye Pro Flexible (3.3 – 6.0 mm dia.)

4 Diameters: .130", .157", .200" and .236"  
(3.3, 4.0, 5.0 and 6.0 mm)

Hawkeyes® Pro Flexible Borescopes incorporate an 18,000 fiber, acid-leached imaging bundle, delivering truly excellent image resolution, sharpness, detail, and contrast.

[▶ Watch Video](#)

**Product Type**

Choose an option ▼

**Diameter**

Model #: N/A Category: [Pro Flexible](#)

QTY: 1

Add to cart

Description

Specifications

Prices

**Hawkeye® Pro Flexible Borescopes** incorporate an 18,000 fiber, acid-leached imaging bundle, delivering truly excellent image resolution, sharpness, detail, and contrast. Lower cost alternatives do not deliver image quality nearly this high.

Pro Flexibles are offered in either 2-, or 4-way articulation! Control the direction-of-view (DOV) of the tip over a 300° range ( $\pm 150^\circ$ ) using a thumb lever on the aluminum borescope body. The lever can also be locked to hold a particular view.

The Hawkeye Pro Flexible sets a new standard of excellence in quality, at a very reasonable price.

### Hawkeye® Pro Flexible



## You may also like...



**Luxxor® Light Guide**

Add to cart



**Luxxor® 35 LED Light Source**


Add to cart



**Luxxor® Video Systems**

Select options

## Related products



### Hawkeye® Pro MicroFlex Flexible Borescopes (.020 – .059 mm dia)

Select options

[User Guides](#) [Data Sheets](#) [Catalogs](#) [Customer Service](#) [Terms & Conditions](#) [Privacy Policy](#) [Contact](#)

Gradient Lens Corporation®

207 Tremont Street  
Rochester, New York 14608

**800-536-0790 or 585-235-2620**

© 2020. Gradient Lens Corporation. All Rights Reserved.