

# Hawkeye® Pro MicroFlex Flexible Borescopes (.020 – .059 mm dia)



## Pro MicroFlex Flexible (.020 – .059 mm dia)

[▶ Watch Video](#)

**Diameter**

Choose an option ▼

**Length**

Choose an option ▼

Model #: N/A Category: [Pro Flexible](#)

QTY: 1

Description	Specifications	Prices
-------------	----------------	--------

## Pro MicroFlex Flexible (.020 – .059 mm dia)


The excellent image quality Hawkeye® MicroFlex Flexible Borescopes deliver, in these very small micro diameters, is nothing short of amazing! You can access even the smallest opening, and utilize a 9-inch bend radius when the entry path is not straight. The polyamide-sheathed 0.5 model has a 3,000 pixel fiber imaging bundle, and the 0.9 mm model has a 10,000 pixel fiber imaging bundle. The plastic-sheathed 1.5 mm has a 30,000 fiber bundle. The eyepiece is easily replaced with a video adapter to use a C-Mount camera. Quickly and easily inspect cooling holes inside turbine blades, cannulas, catheters, needles, trocars, valves in medical devices, and many other micro manufactured parts.

### Hawkeye® Pro MicroFlex Flexible

Pro MicroFlex Flexible FOV 55°, DOV 0°

**Three Outside Diameters**  
 .020, .035, and .059 inches  
 (0.5 mm, 0.9 mm, and 1.5 mm)

••••



#### Every Hawkeye® Pro MicroFlex Flexible Borescope Kit Contains:

- Hawkeye® Pro MicroFlex Flexible Precision Borescope
- C-Mount Adapter
- Rugged Hawkeye® Carrying Case
- Hawkeye® Cleaning Kit

Made in the USA



## You may also like...



Luxor® Video Systems

Select options



Luxor® Light Guide

Add to cart



Luxor® 35 LED Light Source

Add to cart

## Related products



### **Hawkeye® Pro Flexible Borescopes (3.3 – 6.0 mm dia.)**

**Select options**

[User Guides](#) [Data Sheets](#) [Catalogs](#) [Customer Service](#) [Terms & Conditions](#) [Privacy Policy](#) [Contact](#)

**Gradient Lens Corporation®**

207 Tremont Street  
Rochester, New York 14608

**800-536-0790 or 585-235-2620**

© 2020. Gradient Lens Corporation. All Rights Reserved.