




SUCCESS INFRARED

- [Home](#)
- [About](#)
- [IR Lenses](#)
  - [General Introduction](#)
  - [Lenses for Cooled Cameras](#)
  - [Lenses for Uncooled Cameras](#)
- [Custom Design](#)
  - [For uncooled cameras lenses](#)
  - [For cooled cameras lenses](#)
  - [For athermalized lenses](#)
  - [For continuous zoom lenses](#)
  - [For DFOV lenses](#)
  - [For Six-step \(with 2\\*expander\) lenses](#)
- [IR Component](#)
  - [Ge](#)
  - [Chalcogenide glass](#)
  - [Si](#)
  - [ZnS](#)
  - [ZnSe](#)
  - [Metal Mirror](#)
  - [Coating](#)
- [Capability](#)
- [Contact](#)



↺

- [IR Lenses](#)
- [General Introduction](#)
- [Lenses for Cooled Cameras](#)
- [Lenses for Uncooled Cameras](#)

- Custom Design
- [For uncooled cameras lenses](#)
- [For cooled cameras lenses](#)
- [For athermalized lenses](#)
- [For continuous zoom lenses](#)
- [For DFOV lenses](#)
- [For Six-step \(with 2\\*expander\) lenses](#)
  
- IR Component
- [Ge](#)
- [Chalcogenide glass](#)
- [Si](#)
- [ZnS](#)
- [ZnSe](#)
- [Metal Mirror](#)
- [Coating](#)

### IR Lenses for Cooled Thermal Imagers

Model	f' (mm)	F number	Wavelength ( $\mu\text{m}$ )	FOV ( $^\circ$ )	Note
1	25	F2	3.7~4.8	21.7x16.4	Manual focus
2	50	F2	3.7~4.8	11.3x8.5	Manual focus
3	100	F2	3.7~4.8	5.5x4.4	Motorized focus
4	30/180	F2	3.7x4.8	18x13.5/3x2.25	3-FOV Motorized focus
5	60/180	F2	3.7~4.8	9x6.75/3x2.25	2-FOV Motorized focus
6	150	F4	3.7~4.8	3.7x2.7	2-FOV Motorized focus
7	62.5/250	F4	3.7~4.8	11.0x8.8/2.2x1.7	2-FOV Motorized focus
8	40/240	F4	3.7~4.8	13.7x10.3/2.3x1.7	2-FOV Motorized focus
9	50/150/500	F4	3.7~4.8	11.3x8.5/3.7x2.7/1.1x0.83	2-FOV Motorized focus
10	40/250(80/500 with 2 Extender)	F4	3.7~4.8	13.7x10.3/2.3x1.7 6.9x5.2/1.15x0.86	2-FOV Motorized focus With 2x Extender, four-step zooming
11	55	F2	7.7~9.3	10x7.5	Motorized focus
12	275	F2	7.7~9.3	2.0x1.5	Motorized focus
13	60/180	F2	7.7~9.3	9x6.75/3x2.25	2-FOV Motorized focus
14	100/250	F2	7.7~9.3	5.5x4.4/2.2x1.7	2-FOV zooming, Motorized focus

[Back to top](#)

©SUCCESS INFRARED, Inc.