





LabeLase® JM410 Plate Printer

Value Priced and Versatile Metal Tag Printer



LabeLase® JM410 Specifications	
Dimensions	15 x 6 x 20 in (38 x 15 x 51 cm)
Net Weight	56 lbs (< 26 kg)
Power	120 - 240 VAC, 50/60 Hz, 2.4A
Tag Insertion	Interchangeable carrier plates for single or multiple tags
Data Input	Manual or network
Maximum bar code length	Determined by size of individual tag
Tag Size	Up to 4.0 x 4.0 in (102 x 102 cm)
Bar Codes Per Tag	Unlimited, within available space
Bar Code Symbologies	Supports most common 1D/2D bar codes. Custom or proprietary symbologies can be developed
Tag Composition	InfoSight metal tags with laser-markable coatings
Communications Interface	PC to Printer: RS232C Serial, USB or Ethernet Host to PC: InfoSight Extended Protocol, File Transfer and Ethernet
Tag Layout Software	ProducerTM software included free. Windows Compatible: 7, 8 & 10 (32/64 bit)

Mid-Volume Value A Plate Printer for Production Lines And Finished Goods Identification

The LabeLase JM410 uses interchangeable plates to print standard or custom/die-cut tags. Plates can be designed to print multiple tags of various sizes in a single pass. Versatile and value priced, the JM410 is a favorite of product companies needing customized ID tags that last the lifetime of their products.

- Sharp, clear text, bar codes, logos, graphics, and user controlled fonts.
- Fits easily in assembly lines, desk tops or work station bench tops.
- Unrivaled range of tags for special operating environments.
- Customized carrier plates and die-cut tags available.





www.infosight.com

