

1. [Home](#)
2. [Products](#)
3. [Optoelectronics](#)
4. [LED/Laser Drivers for Display](#)

Share

- [Facebook](#)
- [Twitter](#)
- [LinkedIn](#)
- [Email](#)
- [Print](#)

## M08889



### **High-Performance 2A RGB LED/Laser Driver with integrated Buck-Boost converter for LCD/LCoS/TI DLP® Projection Displays**

The M08889 is a high efficiency three channel 2 A LED/laser driver with integrated buck-boost synchronous DC-DC converter for panel based projection displays. It features automatic optical power control for consistent white balance across temperature variation and light sources aging. The internal buck-boost DC-DC converter automatically regulates the LEDs anodes voltage from a 2.6-5.25 V input voltage to minimize system power dissipation. Note: DLP is a registered trademark of Texas Instruments

- [Features](#)
- [Specifications](#)
- [Technical Resources](#)
- [Support](#)
- [Ordering](#)

### **Features**

- Three 2 A common anode LED/laser drivers
- Li Battery and 5V adapter operation
- High-speed I2C interface
- Safety circuitry
- Integrated programmable current PWM generator
- 88% efficient Synchronous Buck-Boost DC-DC converter
- Real-time continuous and integrating optical power control
- Integrated 12.5 Msps 10-bit DACs with 6-bit programmable full scale for output current setting

## Applications

- Backlight illumination
- Head-up and Head mounted displays
- High current laser/LED systems
- LCD/LCoS/TI DLP® portable and pico projectors
- Multicolor LED/laser displays

## Specifications

- Number of Channels: 3

## Datasheet

- [M08889.pdf](#)

## Contact Info

- [Inquire](#)
- [Tech Support](#)
- [Support](#)
- [Sales Offices and Distributors](#)

## Part Number Package MACOM

|                                          |  |                |                         |
|------------------------------------------|--|----------------|-------------------------|
| <b>M08889EVM</b>                         |  |                | <a href="#">Inquire</a> |
| 3CH LED driver with SMPS for pico-projec |  |                |                         |
| <b>M08889G-11P</b>                       |  |                | <a href="#">Inquire</a> |
| 3 chl LED driver with integ DC-DC conv   |  |                |                         |
| <b>M08889G-12P</b>                       |  |                | <a href="#">Inquire</a> |
| 3 chl LED driver with integ DC-DC conv   |  |                |                         |
| <b>M08889G-13</b>                        |  | 6x5mm QFN-36LD | <a href="#">Inquire</a> |
| Mobile Projector with on chip DC to DC   |  |                |                         |
| <b>M08889G-13P</b>                       |  |                | <a href="#">Inquire</a> |
| 3 chl LED driver with integ DC-DC conv   |  |                |                         |

## Favorite Parts

Log in to [MyMACOM](#) to save your favorite parts.

## People Also Viewed

- [M08898](#)

- [M08890](#)
- [M09001](#)
- [M08886](#)
- [M08888](#)

## Recently Viewed

- [M08888](#)
- [M08886](#)

## Technical Resources

### Datasheet

- [M08889.pdf](#)

## Get Support

- [Product Inquiry](#)
- [Tech Support](#)

## Recent Searches

- *No Recent Searches*

X

By continuing to use this site you consent to the use of cookies in accordance with our [Cookie Policy](#)