
Search

1/3





Specifications

Crystal:

Sapphire Purity:

Orientation:

Dia. Tol.:

Thickness:

Thickness Tol.:

Primary Flat:

Flat length:

Front side Surface:

Back side Surface:

TTV:

BOW:

Laser mark:

Packaging:

Cleanliness:

50.8mm Dia

Single crystal Sapphire

>99.9%

0001 C-axis, +/- 0.2 deg.

+/- 0.25mm, fine grind OD

0.332 mm 0.432 mm

+/- 0.25mm

1120 A-axis +/- 0.3 deg

16.0 +/- 1.5mm

EPI polish, (Ra) < or = 1 nm

Fine Ground, R max 5-10 um

Optically Polished 80-50

< 25 um

< 20 um

upon request

Vacuum packed cassette, class 100 clean room,

under nitrogen

Privacy - Terms

https://melleroptics.com/product-category/sapphire-substrates/



76.2mm Dia

EPI ready

Single crystal Sapphire

> 99.9%

0001 C-axis, +/- 0.2 deg.

+/- 0.25mm, fine grind OD

0.550 mm

+/- 0.25mm

1120 A-axis +/- 0.3 deg.

22.0 +/- 1.5mm

EPI polish, (Ra) < or = 1 nm

Fine Ground, R max 5-10 um

Optically Polished 80-50

< 30 um

< 30 um

upon request

Vacuum packed cassette, class 100 clean room,

under nitrogen

EPI ready

SAPPHIRE SUBSTRATES ARE CUSTOM FABRICATED TO ORDER

Lead time is typically 1 week



Sapphire Substrates are custom fabricated to order and typically require a 1 week lead time. QUANTITY DISCOUNTS AVAILABLE. CONTACT

SAPPHIRE SUBSTRATES

| CATALOG NO. | SIZE | SURFACE | PRICE | ORDER |
|-------------|----------------------------|--------------------|----------|-------------------|
| SCD1750-01A | 50.8mm dia. x 0.332mm thk. | one side polish | \$240.00 | - 1 + ADD TO CART |
| SCD1750-02A | 50.8mm dia. x 0.332mm thk. | double side polish | \$270.00 | - 1 + ADD TO CART |
| SCD1750-03A | 50.8mm dia. x 0.432mm thk. | one side polish | \$150.00 | - 1 + ADD TO CART |

2/3 https://melleroptics.com/product-category/sapphire-substrates/



| | | Sapphire Substrates Meller Masters of Sapphire Fabrication | | | |
|-------------|----------------------------|--|----------|-------------------|--|
| CATALOG NO. | SIZE | SURFACE | PRICE | ORDER | |
| SCD1750-04A | 50.8mm dia. x 0.432mm thk. | double side polish | \$240.00 | - 1 + ADD TO CART | |
| SCD1750-05A | 76.2mm dia. x 0.550mm thk. | one side po l ish | \$625.00 | - 1 + ADD TO CART | |
| SCD1750-06A | 76.2mm dia. x 0.550mm thk. | double side polish | \$765.00 | - 1 + ADD TO CART | |



MELLER OPTICS, INC.

120 Corliss Street Providence, RI 02904 800-821-0180 melleroptics.com

NEWS



SAPPHIRE WINDOWS & DOMES FOR HIGH-PRESSURE AUV APPLICATIONS

SHIPPING

Orders typically ship in 3-5 days. Please call the factory for expedited delivery or quantity discounts.

SEARCH



https://melleroptics.com/product-category/sapphire-substrates/