

Laser Stent & Tube Cutter

Sigma™ Series



- Femtosecond and fiber lasers
- 3-axis and 4-axis motion options
- 0.2 to 30 mm tube diameters
- Wet cutting option
- Automated tube loader option
- 22 in touch screen GUI on swing arm
- Material thickness up to 1 mm


TYPICAL APPLICATIONS




Large diameter biopsy device



Flexible tubing



Metal stents



Micro cannula




Capsule

- **Maximize throughput with high speed direct drive stages** - Integrated X and rotary "lathe" provide direct drive technology with high dynamic precision performance, delivering the highest accelerations and operating speeds.
- **Multi-axis options** - Sigma Tube Cutter provides 3 axes as standard: X, rotary, and Z. A 4th optional transverse axis - Y - is available for off-axis cut geometries.
- **Designed for precision** - The laser, optics, and stages are secured directly to a granite base that is pneumatically isolated from the machine frame to provide superior rigidity and vibration dampening. Linear and rotary motors with high resolution encoders are combined with a machine design focused on process isolation to ensure high precision and repeatable cutting.
- **User interface with integrated camera** - Large Windows®-format user screens display comprehensive machine status with easy-to-use functionality. The camera image integrated into the user screen provides inline through-the-lens viewing.
- **Wet and dry operation** - Optional integrated water system with flow rate control, level sensors, and easily changed filters. The lathe stages, rated IP54, and all connections are sealed for reliable wet operation.
- **Enclosure features and safety** - The CDRH Class 1 workstation enclosure includes ISO 13849-01 Category 3 safety interlocks. The interlocked full front door lifts easily vertically to provide full access to tooling, focus head, and stages. A smaller window door slides horizontally, maximizing operator productivity.



- All-in-one main run screen provides full view of machine status
- Entire front door lifts up for full access to tooling, tubes, and stages
- Smaller sliding laser-safe window for quick part access
- Major subassemblies on drawer slides for easy maintenance and vibration isolation
- System controlled using touch screen buttons or jog mouse
- Standard and custom part tooling options



TECHNICAL SPECIFICATIONS

Laser and Motion Parameter		Specification
Laser		Femtosecond laser up to 40 W; IR or green wavelengths Fiber laser up to 200 W; IR wavelength
Focused spot size		< 10 μm achievable
Collet		Levin D – tube diameters up to 7.9 mm ER25 and ER40 – tube diameters up to 30 mm
Linear X-Axis	Travel	300 mm
	Accuracy / Repeatability	+/- 1 μm +/- 0.5 μm
Rotary Axis	Accuracy / Repeatability	+/- 2.5 arcsec +/- 1 arcsec (Levin D)
	Accuracy / Repeatability	+/- 1 arcsec +/- 0.5 arcsec (ER25 and ER40)
Linear Z-Axis	Travel	50 mm
	Accuracy / Repeatability	+/- 1 μm +/- 1 μm
Linear Y-Axis (Optional)	Travel	100 mm
	Accuracy / Repeatability	+/- 1 μm +/- 0.4 μm
XY Platform (Optional)	Travel	100 mm x 100 mm
Input power		208-240 VAC 50-60 Hz, single phase, 30 Amps

WEIGHT & DIMENSIONS

Size (H x W x D) does not include light tower and user interface	78 in x 30 in x 69 in (1981 mm x 762 mm x 1753 mm)
Weight	4800 lb (2177 kg)



AMADA WELD TECH INC.

AMERICAS
AMADA WELD TECH
(Midwest Technical Center)
Detroit, Michigan
T: (248) 313-3078
midwestsales@amadaweldtech.com

AMADA WELD TECH
(Mexico Office)
El Paso, Texas
T: (915) 881-8765
mxsales@amadaweldtech.com

EUROPE
AMADA WELD TECH
GmbH
Munich, Germany
T: +49-89-839403-0
info@amadaweldtech.eu

USA
1820 S. Myrtle Ave. • Monrovia, CA 91016 US
T: (626) 303-5676
info@amadaweldtech.com • www.amadaweldtech.com
ISO 9001 Certified Company • 24/7 Repair Service: 1-866-751-7378

ASIA
AMADA WELD TECH CO., LTD.
Isehara, Japan
T: +81-4-7125-6177
sales@miyachi.com

AMADA WELD TECH
SHANGHAI CO., LTD.
Shanghai, China
T: +86-21-6448-6000
jvu@msc.miyachi.com

AMADA WELD TECH KOREA CO., LTD.
Seoul, Korea
T: +82-31-8015-6810
sales@amadaweldtech.co.kr

AMADA WELD TECH TAIWAN CO., LTD.
Taipei, Taiwan
T: +886-2-2585-0161

AMADA (THAILAND) CO., LTD.
Bangkok, Thailand
T: +66-2170-5900
info@amada.co.th

AMADA VIETNAM CO., LTD.
Ha Noi, Vietnam
T: +84-4-6261-4583

AMADA WELD TECH
INDIA PVT., LTD.
Bangalore, India
T: +91-80-4092-1749
info@miyachiindia.com

Specifications subject to change without notice. Copyright© 2021 AMADA WELD TECH INC. The material contained herein cannot be reproduced or used in any other way without the express written permission of AMADA WELD TECH INC. All rights reserved.

follow us on:

