



## SP0201-CO2-30

### Brief Description

Remove the insulating layer or enamel coat of the wires.

Categories Wire-stripping

Contact Us



### Features:


1. Imported CO2 30w AIR cooling laser generator.
2. Sealed upper and lower dual light path design.
3. Precise ball screw and linear guide.
4. The worktable is controlled by a multi-axis control system and its movement method and parameters can be visually programmed.
5. Various wire stripping products can be stored.

Contact Us

## Specification:


No.	Machine model:	SP0201-CO2-30/SP0402-CO2-30
1	Laser power:	CO2:30W
2	Laser wavelength:	10.6 um
3	Cutting wire diameter:	0.1- 2mm
4	Cutting speed:	Depends on materials, max to 300mm/S
5	Lens adjustable range:	±8mm
6	Cutting process:	Straight line, I-shaped
7	Max cutting speed:	300mm/s
8	Position system:	Relay on fixture
9	Worktable position accuracy:	≤± 0.05mm
10	Worktable repeated position accuracy:	≤± 0.02mm
11	Control system:	Multi-axis control system
12	Cutting area (X×Y) :	200mm×100mm (optional) /400mm×200mm
13	Machine size	1350*630*500

Sample






Wire stripping sample



Wire stripping sample



Wire stripping sample



### About Us

- Introduction
- Plants overview
- Milestones
- Global footprints
- Customer brands

### Products

- Laser marking machines
- Laser cutting machines
- Laser welding machines
- Automation
- Plasma cheaning machine
- CNC
- Industrial robots

### Applications

- Electronic and semiconductor
- Mechanical hardware
- New energy
- Packaging industry
- Brittle Material Industry
- Auto industry
- Sheet metal

### Service

- Equipment installation
- Product video
- Sample test
- Equipment after-sales

### News

- Press release
- Annual Event

### Contact Us

Han's Laser Technology Centre , Shennan Ave No.9988,Nanshan District, Shenzhen, Guangdong Province, China.

- 518057
- +86-400-666-4000
- international@hanslaser.com

